

Outdoor Vistalux 4000K 9W 4000K 420lm IP65*Partcode: ILDEA023 / Page: 1*

The Integral LED Outdoor range offers style and substance, with contemporary designs and hardwearing, weatherproof aluminium construction. This range of modern luminaires creates the perfect accent lighting for exterior walls in residential and commercial environments with all the low-energy and long-life benefits of LED.

The Wave is an attractive up/down wall light with a polycarbonate diffuser that gives a gentle wash of light to your wall. The dark grey, powder coated finish is both beautiful and rugged.

Product Details

Partcode: ILDEA023

Check Code: 529642

Range Name: Wall Light

Product Type: Outdoor

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Optic: Polycarbonate diffuser

Material: Die cast aluminium body with powder coated finish

Physical Data

Width: 236mm

Depth: 68mm

Diameter: 75mm

Weight (Unpackaged Single Unit): 500g

Luminaire Fixing: Wall Mounted

Electrical Data

Voltage Range: 220-240V

Power Consumption: 9.0 Watts

Driver included: Yes

Electric Current: AC

Ampage: 300.00mA

Frequency Range: 50/60 Hz

Power Factor: ≥ 0.80

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-60598

Light Data

Lumens: 420lm

Lumens per Watt: 47.0lm/W

Beam Angle: 100°

Correlated Colour Temperature (CCT): 4000k

Colour Temperature: Cool White


Colour Rendering Index (CRI): ≥ 80

LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Switching Cycles: $>12,500$ X

Environmental



Lowest Operating Temperature: -20 degrees
Maximum Operating Temperature: 65 degrees
IP (Ingress Protection) Rating: IP65
Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788233213

Packaged Weight (Unit of 1): 600g

Length (unit of 1): 250mm

Width (unit of 1): 80mm

Depth (unit of 1): 85mm

Outer packaging info available on website

Product data last updated on: Friday, March 8, 2019 - 13:55